



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/496,421

02/02/2000

Ritsuko Iwasaki

24705/99

6172

21254

7590

12/19/2002

MCGINN & GIBB, PLLC
8321 OLD COURTHOUSE ROAD
SUITE 200
VIENNA, VA 22182-3817

EXAMINER

LEE, EUGENE

ART UNIT

PAPER NUMBER

2815

DATE MAILED: 12/19/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/496,421

Applicant(s)

IWASAKI, RITSUKO

Examiner

Eugene Lee

Art Unit

2815

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 October 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 3-5, 11-18, 20-22 and 24-31 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 26-31 is/are allowed.
- 6) ☒ Claim(s) 3-5, 11-18, 20-22 and 24-31 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____
- 4) ☐ Interview Summary (PTO-413) Paper No(s) _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

Art Unit: 2815

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 10/15/02 has been entered.

Drawings

2. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(4) because reference character "1" has been used to designate both "gate" and "source diffusion region". See page 7, line 1 and page 8, line 1.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2815

4. Claims 3, 5, 14, 15, 18, 20 thru 22, 24 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bush et al. '283. Bush discloses (see, for example, FIG. 5) a test structure comprising gate conductors (first and second gate) 20 and conductors (first and second dummy gate) 40. The first transistor (the second from the left in FIG. 5 of Bush) possesses a first gate 20, first source region 22 and first drain region 24 and is spaced from a first dummy gate (the third from the left in FIG. 5 of Bush) 40. The first dummy gate is laterally spaced from a second transistor (on the far right in FIG. 5 of Bush) possessing a second gate 20, second source region 22 and second drain region 24. The second dummy gate 40 (on the far left in FIG. 5 of Bush) lies outside the first source regions and the first drain region. The first and second gates, and said first, second dummy gates are evenly spaced. Bush does not show a third dummy gate arranged adjacent to said second drain. However, it would have been obvious to one of ordinary skill in the art at the time of invention to include an additional dummy gate with more transistors in order to test more transistors within a single test structure.

5. Claims 4 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bush et al. '283 as applied to claims 3, 5, 14, 15, 18, 20-22, 24 and 25 above, and further in view of Ham '595. Bush does not disclose said first and second gates being respectively three forked. However, Ham shows (see, for example, FIG. 1) a NMOS transistor having a ladder structure where several gate branches G extend from a main line of a gate pattern 1. It was well known in the art at the time of invention to implement this ladder structure so that one could accommodate a greater number of transistors in a minimum amount of space. Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to use a ladder structure of Ham for the reason cited above.

Art Unit: 2815

6. Claims 11, 12, 16 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mizuno et al. '686 in view of Lin et al. '900 in view of Uehara et al. '563. Mizuno discloses (see, for example, FIG. 21) a semiconductor device comprising multiple transistors wherein each transistor comprises a gate electrode, and source/drain regions coupled to overlying contact holes. The distances between the gate electrodes and the contact holes are substantially the same. Mizuno does not disclose said fourth electrode layer electrically coupled to aid second electrode layer. However, Lin discloses (see, for example, FIG. 5B) a semiconductor device comprising transistors wherein the transistors' drain regions are connected together. It was well known in the art at the time of invention to connect drain regions of different transistors of the same device (i.e. CMOS) in order to share a signal between drain regions. See, for example, column 4, lines 52-65. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to connect the drain regions together in Mizuno's invention in order to share a common signal between different transistors.

Mizuno in view of Lin does not disclose dummy layers. Uehara, on the other hand, discloses (see, for example, Fig. 13e) dummy electrodes 50b surrounding the gate electrode 50a and the source/drain regions 21 of a transistor. The dummy electrodes reside above an isolation 17. Uehara teaches that including dummy layers will reduce variation in the length of the gate electrode and remove the need of extra margin for the displacement of masks. See, for example, column 19, lines 65-*. Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to include the dummy layers of Uehara in Mizuno in view of Lin for the reasons cited above.

Allowable Subject Matter

7. Claims 26 thru 31 are allowed.

8. The following is a statement of reasons for the indication of allowable subject matter:

The references of record, either singularly or in combination, do not teach or suggest at least a semiconductor device including first and second transistors formed on a semiconductor chip, each having a terminal commonly connected to a node, said device comprising a main line of a first gate electrode layer extending in a first direction; two branches branching substantially perpendicularly from said main line of said first gate electrode layer, said two branches extending a second direction; a first diffusion layer; a main line of a second gate electrode layer extending in said first direction; two branches branching substantially perpendicularly from said main line of said second gate electrode layer, said two branches extending in said second direction; and a fourth diffusion layer coupled to a fourth contact hole, said fourth diffusion layer electrically coupled to said first diffusion layer as said terminal inside of said semiconductor chip (claims 26, 28, and 30).

The references of record, either singularly or in combination, do not teach or suggest at least a semiconductor device including first and second transistors formed on a semiconductor chip, each having a terminal commonly connected to a node, said device comprising a main line of a first gate electrode layer extending in a first direction; three branches branching substantially perpendicularly from said main line of said first gate electrode layer, said three branches extending a second direction; a second diffusion layer; a main line of a second gate electrode layer extending in said first direction; three branches branching substantially perpendicularly from said main line of said second gate electrode layer, said three branches extending in said

second direction; and a sixth diffusion layer coupled to a sixth contact hole, said sixth diffusion layer electrically coupled to said second diffusion layer as said terminal inside of said semiconductor chip (claims 27, 29, and 31).

Response to Arguments

9. Applicant's arguments with respect to claims 3-5, 11-18, 20-22, and 24-31 have been considered but are moot in view of the new ground(s) of rejection.

Regarding applicant's argument (on page 9, lines 6-9 of response filed 10/22/02) that the conductors 40 are not parallel to gate conductors 20, this is not found persuasive since FIG. 5 of Bush does indeed show conductors 40 parallel to gate conductors 20. Looking more specifically at the first dummy gate (conductor 40 which is directly above the transistor **third from the left** in FIG. 5) and the first gate (gate conductor 20 for the transistor **second from the left** of FIG. 5), these two gates are indeed arranged parallel to each other. They clearly extend in the same direction, equidistant from each other.

Regarding applicant's argument (on page 9, lines 10-16) that Bush does not show the dummy gate being disposed between the first and second transistors, please see FIG. 5 of Bush. As stated in the previous rejection, the Examiner is construing the first transistor as the transistor shown as the transistor second from the left in FIG. 5. The Examiner is construing the second transistor as the transistor shown as the transistor on the far right of FIG. 5. The dummy gate is conductor 40 that is above the transistor third from the left. This dummy gate is definitely between these two transistors (second from the left and on the far right of FIG. 5 of Bush) and all source/drain regions contained therein.

Art Unit: 2815

Regarding applicant's argument on page 10, paragraph C, the gate electrodes of Mizuno do indeed extend in a lengthwise direction (second direction) that is perpendicular (first direction) to the distribution of the source/drain layers, the Examiner does not agree. The source/drain layers are distributed laterally whereas the gate electrodes run vertically. This is clearly evident in FIG. 21 of Mizuno. Even though Mizuno in view of Lin does not specifically differentiate source/drain layers, it was well known in the art that source/drain layers are identical to each other. This is why Mizuno does not differentiate between these layers. They can either be a source or drain, respective of whether electrons are supplied or collected.

Also, please note that Bush discloses four transistors in FIG. 5. On page 5, sixth paragraph of response filed 10/15/02, applicant makes a statement that there is only one transistor, however, Bush clearly shows four transistors wherein each transistor has their own gate, source and drain.

INFORMATION ON HOW TO CONTACT THE USPTO

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eugene Lee whose telephone number is 703-305-5695. The examiner can normally be reached on M-F 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie C. Lee can be reached on 703-308-1690. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-7722 for regular communications and 703-308-7722 for After Final communications.

Art Unit: 2815

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

Eugene Lee

December 17, 2002




EXHIBIT
SUPPLEMENTAL EXHIBIT
TECHNOLOGY CENTER 1000